

Package: cpsR (via r-universe)

September 15, 2024

Title Load CPS Microdata into R Using the 'Census Bureau Data' API

Version 1.0.0

Description Load Current Population Survey (CPS) microdata into R using the 'Census Bureau Data' API (<<https://www.census.gov/data/developers/data-sets.html>>), including basic monthly CPS and CPS ASEC microdata.

URL <https://github.com/matt-saenz/cpsR>

BugReports <https://github.com/matt-saenz/cpsR/issues>

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.2.3

Imports htr, jsonlite, tibble

Repository <https://matt-saenz.r-universe.dev>

RemoteUrl <https://github.com/matt-saenz/cpsr>

RemoteRef HEAD

RemoteSha 3de6cdbf6fbfb43e9c24ac8b8068d60974f6f602

Contents

get_asec	2
get_basic	3
Index	5

`get_asec`*Load CPS ASEC microdata*

Description

`get_asec()` loads **CPS ASEC** microdata using the Census API.

Usage

```
get_asec(  
  year,  
  vars,  
  key = get_key(),  
  show_url = FALSE,  
  tibble = TRUE,  
  convert = TRUE  
)
```

Arguments

<code>year</code>	Year of data to retrieve. Years 1992 and on are currently supported.
<code>vars</code>	Character vector of variables to retrieve, where each vector element corresponds to the name of a single variable. Variable names can be given in uppercase or lowercase but are always made lowercase in the returned data.
<code>key</code>	Census API key . Defaults to environment variable <code>CENSUS_API_KEY</code> . See the README for info on how (and why) to set up env var <code>CENSUS_API_KEY</code> .
<code>show_url</code>	If TRUE, show the URL the request was sent to (with key suppressed). Defaults to FALSE.
<code>tibble</code>	If TRUE (default), return data as a tibble . If FALSE, return data as a base data frame.
<code>convert</code>	If TRUE (default), run <code>type.convert()</code> with <code>as.is = TRUE</code> on the data returned by the Census API. If FALSE, all columns in the returned data will be character vectors (exactly as returned by the Census API).

Value

A **tibble** or base data frame.

Examples

```
## Not run:  
asec21 <- get_asec(2021, vars = c("marsupwt", "spm_poor"))  
  
## End(Not run)
```

`get_basic`*Load basic monthly CPS microdata*

Description

`get_basic()` loads **basic monthly CPS** microdata using the Census API.

Usage

```
get_basic(  
  year,  
  month,  
  vars,  
  key = get_key(),  
  show_url = FALSE,  
  tibble = TRUE,  
  convert = TRUE  
)
```

Arguments

<code>year</code>	Year of data to retrieve. Years 1989 and on are currently supported.
<code>month</code>	Month of data to retrieve (specified as a number).
<code>vars</code>	Character vector of variables to retrieve, where each vector element corresponds to the name of a single variable. Variable names can be given in uppercase or lowercase but are always made lowercase in the returned data.
<code>key</code>	Census API key . Defaults to environment variable <code>CENSUS_API_KEY</code> . See the README for info on how (and why) to set up env var <code>CENSUS_API_KEY</code> .
<code>show_url</code>	If TRUE, show the URL the request was sent to (with key suppressed). Defaults to FALSE.
<code>tibble</code>	If TRUE (default), return data as a tibble . If FALSE, return data as a base data frame.
<code>convert</code>	If TRUE (default), run <code>type.convert()</code> with <code>as.is = TRUE</code> on the data returned by the Census API. If FALSE, all columns in the returned data will be character vectors (exactly as returned by the Census API).

Value

A **tibble** or base data frame.

Examples

```
## Not run:  
sep21 <- get_basic(  
  year = 2021,  
  month = 9,
```

```
vars = c("pwcmpwgt", "prpertyp", "prtage", "pemlr")
)

## End(Not run)
```

Index

`get_asec`, [2](#)

`get_basic`, [3](#)

`type.convert()`, [2](#), [3](#)